

mesoestetic[®]
mesoestetic Pharma Group



mesopeel

COMMERCIAL PRESENTATION

mesopeel...

- One of the widest, most diverse and complete range of the market: 19 references.
 - mono substance peels (HA, TCA)
 - combined peels



- Quality guaranteed by mesoestetic Pharma Group (safety, efficacy), etc.



...extends its range with three new medical peels

mesopeel glycolic

for all skin types

mesopeel lactic

sensitive, dry fine and/or dull skin types

mesopeel salicylic

greasy, acne-prone and/or seborrhoeic skin

mesopeel mandelic

thick, greasy, seborrhoeic skins and/or with dyschromia

mesopeel TCA

skin aging

mesopeel melanostop

dyschromia, hyperpigmentation and photo aging

mesopeel melanoplus

Focal use peel. Melanic spots, lentigos, hyperpigmentation

new

mesopeel azelan

all phases of acne

mesopeel modified jessner

dark spots, irregular skin tone, aging

mesopeel bionic age recovery

dull skin with a loss of skin density

new

mesopeel piruvex

moderate-severe aging

mesopeel phenTCA

moderate to severe aging, acne scars

new



mesopeel melanoplus

medium combined peel
self-neutralising
depigmenting peel
focal use

TCA 20%
kojic acid 4%
ferulic acid 1%
bexaretinyl complex



mesopeel melanoplus

Self-neutralising, depigmenting peel for focal use
melanic spots, lentigos, hyperpigmentation

TCA 20%

- Act on skin proteins and triggers **keratocoagulation** (white **frost** appearance).
- Improve the skin's physiological and mechanical qualities.
- Stimulates the activity of fibroblasts.

kojic acid 4%

- Copper chelator that encourages **tyrosinase** enzyme inhibition.
- **Depigmenting effect.**
- Does not cause irritation.

ferulic acid 1%

- Provides effective protection for the entire dermal structure, **neutralizing free radicals.**
- **Inhibits tyrosinase activity**, preventing the formation of unwanted hyperpigmentation.

bexaretinyl complex

- It increases cellular proliferation.
- It encourages **melanin dispersion.**
- Reducing collagen loss and increasing the thickness of the dermis and epidermis.



DOES NOT NEED
NEUTRALISATION

mesopeel melanoplus

Self-neutralising, depigmenting peel for focal use
melanic spots, lentigos, hyperpigmentation

TCA 20%
kojic acid 4% · ferulic acid 1%
bexaretinyl complex

indications

- pigmented lesions:
 - post-inflammatory hyperpigmentation.
 - ephelides.
 - melasmas.
- suitable for use on the face, neck, neckline, hands and body.

cycles

- 1 to 5 sessions.
- 2 maintenance sessions per year.



pH <1

Hydro-alcoholic
solution

5 vials x 5 ml



mesopeel melanoplus

clinical cases

*Age: 56**Phototype: 4**Glogau stage: III**Peeling : mesopeel melanoplus**Nº sessions: 4*

ANTES



DESPUÉS



mesopeel melanoplus

clinical cases

Age: 45

Phototype: 3

Peeling : mesopeel melanoplus

Nº sessions: 3

ANTES



DESPUÉS



mesopeel melanoplus

clinical cases

Age: 45

Phototype: 3

Peeling : mesopeel melanoplus

Nº sessions: 3

ANTES



DESPUÉS



mesopeel bionic age recovery

antiaging wipe peel
dull skin with
a loss of skin density

pyruvic acid 36%
glycolic acid 24%
lactobionic acid 4.8%
shikimic acid 4.8%



mesopeel bionic age recovery

antiaging wipe peel
dull skin with a loss of skin density

pyruvic acid 36%

- Keratolytic, antimicrobial and sebostatic properties.
- **Progressive chemoexfoliation without excessively drying the skin.**
- Stimulates collagen, elastin and dermal glycoprotein synthesis.

glycolic acid 24%

- Promotes cellular regeneration and GAGs synthesis.
- **Increases levels of moisture and reinforces the skin's natural barrier function.**

lactobionic acid 4.8%

- Bionic polyhydroxy acid, efficient **antioxidant and antiaging agent.**
- **Avoids cutaneous dehydration.**
- Prevents photo-aging and blocks for breaking down collagen.

shikimic acid 4.8%

- Obtained from the shikimi plant (or star anise) in Japanese.
- **Keratolytic action, it modulates hyperkeratosis.**

mesopeel bionic age recovery

antiaging wipe peel
dull skin with a loss of skin density

pyruvic acid 36% · glycolic acid 24%
lactobionic acid 4.8%
shikimic acid 4.8%

indications

- moderate to severe stage III to IV aging:
 - moderate – advanced photoaging.
 - medium and deep wrinkles.
 - loss of firmness and skin density.
 - dull and lacklustre skin.

Important: this peeling needs to be neutralised.

cycles

- 1 to 4 sessions.
- 1 maintenance session, 4 times a year.



pH < 1

Hydro-alcoholic
solution

10 single use wipes
x 5 ml



mesopeel bionic age recovery clinical cases

*Age: 57**Phototype: III**Glogau stage: III**Peeling : mesopeel bionic age recovery**Nº sessions: 4*

ANTES



DESPUÉS



mesopeel bionic age recovery clinical cases

*Age: 41**Phototype: 3**Glogau stage: II**Peeling : mesopeel bionic age recovery**Nº sessions: 5*

ANTES



DESPUÉS



mesopeel phenTCA

self-neutralising peel
medium to deep
severe aging
acne scars

TCA 20%
phenol 10%

**Recommended for doctors
specialised in the application
of medium-deep peels.**



mesopeel phenTCA

medium to deep self-neutralising peel
severe aging, acne scars

TCA 20%

- TCA acts on skin proteins and triggers keratocoagulation.
- Improves the skin's physiological and mechanical qualities.
- Stimulates the activity of the fibroblasts.

phenol 10%

- Toxic alcohol.
- Fast absorption capacity.
- Proteocoagulant whose function is to rupture the desmosome cell structures.
- Triggers denaturing of proteins.
- It stimulates synthesis of collagen fibres, boosting elasticity and skin regeneration.

mesopeel phenTCA

medium to deep self-neutralising peel
severe aging, acne scars

TCA 20%
phenol 10%

indications

- severe stage IV aging:
 - advanced photo-aging.
 - deep wrinkles.
 - lack of skin density.
- dyschromia and pigmented lesions:
 - senilis and solar lentigos.
 - melasma.
- deep acne scars.
- hyperkeratosis
- striae.

cycles

- 1 session.
- a maximum of 2 maintenance sessions per year.



pH <1

hydro-glycolic
solution

30 ml bottle



mesopeel phenTCA

clinical cases

*Age: 55**Phototype: 3**Glogau stage: II**Peeling: mesopeel phenTCA**Nº sessions: 1*

ANTES



DESPUÉS



mesopeel phenTCA

clinical cases

*Age: 55**Phototype: 3**Glogau stage: II**Peeling: mesopeel phenTCA**Nº sessions: 1*


ANTES



DESPUÉS



Coadjuvants





professional expertise

pre-procedure cleansing solution · wipe //

new formula
2 formats





professional expertise

pre-procedure cleansing solution · wipe //

Deep degreasing action.

- Prepares, degreases and cleanses deeply.
- Enhances the penetration of actives substances.

Active ingredients:

- pH 4.5
- Glycolic, lactic, salicylic and lactobionic acid
- Alfa bisabolol

To stand out:

- High skin tolerance, avoid dehydration.
- New perfume.
- Very practical wipe.



20 single-use wipes x 7.5 ml.
150 ml bottle



professional expertise

post-peel 1% retinol concentrate //

1% retinol
enhancer action
airless format





professional expertise

post-peel 1% retinol concentrate //

Sealing and enhancing action.
Prolongs the renewing effect of the peel.

- Exclusively for very superficial and superficial peels.
- Improves cell differentiation and reepithelisation
- Triggers collagen and elastin synthesis.

Active ingredients:

- Retinol 1%: renewing action – superficial peeling effect
- Vitamin E and B5
- Centella asiatica

To stand out:

- High retinol concentration.
- Lightweight serum texture.



Airless 100 ml

Clinic protocol

Phase I: prepare

- hydra milk cleanser and hydratonic.
- Degreasing with pre-procedure cleansing solution or with pre-procedure cleansing wipe



Phase II: protect

- mesolips protector.



Phase III: treat with mesopeel

- mesopeel.
- post-peel neutralizing spray.



Optional phase: enhance

PEELINGS VERY SUPERFICIALS AND SUPERFICIALS.

- post-peel 1% retinol concentrate.



Phase IV: repair

- post-peel crystal fiber mask
- anti-stress face mask




Phase V: finish and protect

- post-procedure fast skin repair
- moisturising sun protection SPF50



Coadjuvants





home performance

resurfacing peel booster //
brightening peel booster //

«home peel boosters»
pre and post-peels





home performance

resurfacing peel booster //

Keratolytic and retexturing gel

- For acne-prone and seborrhoeic skins with blemishes, actinic keratosis and/or signs of chronoaging.
- Normalises excess sebum and reduces the size of the pores.
- Antiaging action: stimulates cell renewal mechanisms and activates collagen and elastin synthesis, improving elasticity and reducing wrinkles.

Active ingredients:

- Glycolic acid 10% + salicylic acid 2%

To stand out:

- **PREPARE · PREVENT · OPTIMISE · PROLONG**
 - Leave the skin in optimum conditions.
 - Maintains skin stimulation between sessions.
 - Optimises and prolongs the therapeutic response obtained.
- Ideal preparatory phase before others medical procedures.
- High acid concentration.



50 ml airless



home performance

brightening peel booster //

Clarifying and illuminating gel

- For skin with hyperpigmentation, uneven tone, imperfections and signs of photoaging.
- Improves the skin's ability to retain moisture and reactivate cell renewal.
- Depigmenting action: reduces melanogenic activity for a more even pigmentation.

Active ingredients:

- Glycolic acid 10% + phytic acid 2%.

To stand out:

- **PREPARE · PREVENT · OPTIMISE · PROLONG**
 - Leave the skin in optimum conditions.
 - Maintains skin stimulation between sessions.
 - Optimises and prolongs the therapeutic response obtained.
- Ideal preparatory phase before others medical procedures.
- High acid concentration.



50 ml airless

Home care protocol

pre-peeling · 15 days before

Objectives:

- Prepare the skin and help to obtain an even peel action.
- Optimises the results.
- Minimize adverse reactions.

glycorepair	<ul style="list-style-type: none"> • Normal to combination skins.
resurfacing peel booster	<ul style="list-style-type: none"> • Oily skins with chrono-aging signs.
brightening peel booster	<ul style="list-style-type: none"> • Skin with hyperpigmentation and photo-aging.



Home care protocol

treatments post-peeling

DURING THE FLAKING PROCESS.

Objectives:

- To repair and revitalise.

post-procedure fast skin repair

- All kind of skins



AFTER THE FLAKING PROCESS.

Objectives:

- To prolong cell stimulation

glycorepair

- Normal to combination skins

resurfacing peel booster

- Oily skins with crono-aging sign.

brightening peel booster

- Skin with hyperpigmentation and photo-aging





professional expertise



mesopeel




home performance



merchandising

Merchandising material - mesopeel

Medical leaflet guide

nuevo

Updated medical leaflet includes:

- New products.
- Protocol and suggestions of combined protocols.
- Clinical results before-after.

ES: cod. 294040

EN: cod. 294041

PT: cod. 294042

FR: only digital version

Merchandising material - mesopeel

Profesional leaflet guide



ES: cod. 294043
EN: cod. 294044

A5 profesional leaflet



ES: cod. 294045
EN: cod. 294069

Medical leaflet a5



ES: cod. 294046
EN: cod. 294047
PT: cod. 294048

Merchandising material - mesopeel

Display A1 Mix



ES: cod. 294045
EN: cod. 294069

ONLY DIGITAL VERSION

pai-pai fan



cod. 294049

Fan brush



cod. 295914

Samples



cod. 294029 – mesopeel melanostop
cod. 294030 – mesopeel modified jessner
cod. 294031 – mesopeel mandelic peel 40%
cod. 294032 – mesopeel glycolic peel 35%

Merchandising · mesopeel

Coadjuvant leaflet guide

nuevo



ES: cod. 294073

EN: cod. 294074

PT: cod. 294075

New professional diptych format · includes:

- Protocol + products details necessary to use at home or in consultation.

Merchandising material - others

Leaflet guide PROFESSIONAL EXPERTISE



ES: cod. 295779
EN: cod. 295780
PT: cod. 295781
FR: only digital version

Leaflet guide HOME PERFORMANCE



ES: cod. 295776
EN: cod. 295777
PT: cod. 295778
FR: only digital version

mesoestetic[®]
mesoestetic Pharma Group



mesopeel

COMMERCIAL PRESENTATION